


WE THINK THE WORLD OF PLASTICS



MAKE YOUR OWN DOOR SEALINGS
WITH PRIMO PROFILES
AND HANDY WELDING UNIT





CUT, WELD AND INSTALL DOOR SEALINGS QUICKLY
IN YOUR OWN WORKSHOP

QUICK AND EASY: MAKE YOUR OWN

Primo offers you the opportunity to cut and weld door sealings yourself, using a series of standard door sealing profiles from Primo and our handy and cost-effective welding unit.

FIVE EASY STEPS

1 SELECT YOUR SEALING PROFILE

You can choose from a range of sealing profiles with different dimensions and properties. Select the one you need from your own stock or order it from us.

2 TRIM TO SIZE

The welding unit allows you to trim the profile length precisely and quickly.

3 WELD CORNERS

The trimmed corners can now be welded together in a matter of minutes.

4 TRIM WELDED PROFILE

Once welded, the finished door sealing is ready to be trimmed and fitted to the trailer.


5 FIT TO TRAILER

The technology ensures a 100 % tight fit and easy opening – just glue it directly to the door.




DOOR SEALINGS
AVAILABLE IN THE
FOLLOWING SIZES:
18-30-45-55-65-85 mm





DOOR SEALINGS!



BENEFITS FOR YOUR CUSTOMERS

WELDED CORNERS

Precision-welded corners ensure long lifespan of the door sealing and easy opening, even during transport of frozen goods.

SUPERIOR MATERIAL CHOICE

Primo door sealings are made from TPV (thermoplastic vulcanizate), which combines the advantages of vulcanized rubber with the strength and flexibility of thermoplastics. TPV is fully functional in a temperature range from -40 °C to +100 °C and is available in many different colours.

NO FRICTION

TPV profiles are extremely well suited for refrigeration trailers as they allow no ice build-up and always make for easy opening of the doors.

YOUR DIRECT BENEFITS

DO IT YOURSELF

Primo's welding unit is compact and easy to operate for anyone. Making your own sealings will save you a lot of time in your production, and you can design sealings to fit any trailer you build.

FAST ASSEMBLY

With no need for primers, assembly and fitting to the trailer door take very little time.

NO TOOLING COSTS

When you use Primo standard profiles and our welding unit, you can save costs on tools – all you need is delivered by us.

BONDAFIN

Easy to glue directly to the trailer chassis – without the use of primers.

THIS IS WHAT YOU GET!

PRIMO'S DOOR SEALING WELDING UNIT

- Compact and easy to operate
- Precise cutting
- Extremely strong corner welding

PRIMO DOOR SEALING PROFILES

- A variety of TPV door sealing profiles available in standard lengths
- Bondafin glue without need of primer

TRAINING AND SUPPORT

- We can train your operators
- Support and advice on profiles

DIY DOOR SEALINGS FOR TRAILER BUILDERS

Want to make door sealing profiles yourself? Here's the answer: Get Primo's new door sealing welding unit. It allows you to cut, trim and weld quality door sealings in your own workshop without the need of expensive tooling. Use standard-length Primo door sealing profiles made from superior TPV and build the finished door sealings quickly and easily.

You can lower your lead times dramatically and improve your profitability while keeping your customers happy.

ORDER NOW
– give Primo a call or write
us at primo@primo.com

PRIMO - YOUR DEDICATED EXTRUSION SPECIALIST

Driven by our care for a better tomorrow and based on our extensive experience, know-how and proven process, we continuously seek to design and extrude the profiles of tomorrow that will optimise performance and save resources.

Thanks to the private ownership of Primo, we have the agility, the ability and the willingness to invest in the future. We treat our customers as long-term partners and steadily work to improve our footprint.

Primo supplies extrusion knowledge and profiles for a wide variety of businesses: Building, energy, medico, offshore, lighting, transport, air-con & ventilation, windows & doors and many more.

The Primo Group consists of companies throughout Northern and Central Europe and in China.

Subsidiaries:

ALABAMA, USA

Primo Profiles Alabama LLC
7611 Lake Road South
Mobile AL 36605
USA

CHINA

PROFILEX PLASTIC TECHNOLOGY
(Zhuhai FTZ) Co. Ltd.
No. 41, Hongwan Free Trade Zone
Zhuhai, Guangdong, CHN 519030
sales@profilex.cn
www.profilex.cn

DENMARK

PRIMO DANMARK A/S
Jernbanegade 11
DK-6862 Tistrup
primo@primo.dk

FINLAND

OY PRIMO FINLAND AB
Tarhaajantie 2
FI-65380 Vaasa
primo.finland@primo.fi

GERMANY

PRIMO PROFILE GmbH
Ostmoorweg 36-40
D-21614 Buxtehude
info@primo-profile.de
Hamburg

NETHERLANDS

PRIMO NETHERLANDS B.V.
Enitor Primo
Beatrixstraat 7
NL-9285 TV Buitenpost
infoenitor@primo.com

NORWAY

PRIMO NORGE AS
P.O. Box 2096
N-3255 Larvik
post@primo.no

POLAND

PRIMO PROFILE Sp. z o.o.
Ul. Chemiczna 2
PL 44-240 Żory
plmopprofile@primo.com

SWEDEN

PRIMO SVERIGE AB
Box 4073
SE-514 12 Limmared
info@primo.se
Dalstorp/Limmared



MOTHER COMPANY

INTER PRIMO A/S

Højbro Plads 6
DK-1200 København K
Denmark

www.primo.com

Marek Wojciechowski

Baltic States and Eastern Europe
Key Account Manager
E: Marek.Wojciechowski@primo.com
M: +48 697 093 300



Miguel Moreira

Southern Europe and South America
Key Account Manager
E: Miguel.Moreira@primo.com
M: +41 78 225 36 96



Jesper Helveg Thomsen

Northern & Central Europe, North
America and Asia
Business Area Manager

E: Jesper.H.Thomsen@primo.com
M: +45 2184 6520

